
















PUMPS

PICTURE	PART #	DESCRIPTION
	5517-2F1-63A	Remco ProFlo 5500™ with quick connect
	5518-2F1-94A	Remco ProFlo FatBoy®
	QBS-556	3/4" straight hose barb with o-ring for Remco pumps
	QBE-556	3/4" elbow hose barb with o-ring for Remco pumps






FILTERS







PICTURE	PART #	DESCRIPTION
	TLSO7550	50 mesh filter and housing COMPLETE ASSEMBLY
	TLSO7580	80 mesh filter and housing COMPLETE ASSEMBLY
	5580060	FILTER HOUSING top 3/4" INLET to 3/4" OUTLET
	5580210	FILTER HOUSING bottom
	5730020	FILTER 50 mesh
	5730030	FILTER 80 mesh
	5580480	Pink gasket band for 50 and 80 mesh filter housing




ELECTRICAL CONNECTIONS

PICTURE	PART #	DESCRIPTION
	JDS 25	ManX controller
	25-15PC	15' cable with 30 amp fuse to be hooked directly to 12V tractor battery
	25Y CABLE	10 gauge Y cable for GX2 dual pump systems USED WITH 25-50, 25-40, AND 25-30
	25-10P	10' 12 gauge cable
	25-15	15' 12 gauge cable
	25-20	20' 12 gauge cable
	25-30	30' 12 gauge cable
	25-Y 10 GAUGE	10 gauge Y cable for GX2 dual pump systems USED ONLY WITH 25-60
	25-60	60' 8 gauge cable
	25-50	50' 10 gauge cable
	25-40	40' 10 gauge cable
	40-10-4	4' 10 gauge cable USED ONLY WITH 25-60
	RUN HOLD EXT 15'	15' Run Hold extension
	RUN HOLD EXT 20'	20' Run Hold extension
	RUN HOLD SWITCH	30' Run Hold switch
	RUN HOLD SWITCH-50'	50' Run Hold switch
	MG-MOUNT	Magmount







QUICK COUPLERS

PICTURE	PART #	DESCRIPTION
	QC1	1/4" QC to 1/4" MALE NPT elbow
	QC2	1/4" QC to 1/8" MALE NPT
	QC3	1/4" QC to 1/4" QC straight
	QC4	1/4" QC to 1/4" MALE NPT
	QC5	1/4" QC to 1/8" FEMALE NPTF, used in Straight Shot kit
	QC6	3/8" QC to 1/4" MALE NPT
	QC7	3/8" QC to 1/4" QC









PICTURE	PART #	DESCRIPTION
	QC8	3/8" QC to 1/4" MALE NPT elbow
	QC9	1/4" QC to 1/4" FEMALE NPTF
	QC10	1/4" QC to 1/8" MALE NPT elbow
	QC14	1/4" QC to 3/8" MALE NPT
	QC15	3/8" QC to 3/8" QC
	QC16	1/4" to 1/4" 90° QC

PICTURE	PART #	DESCRIPTION
	PPSV040808W	THUMB VALVE 1/4" QC to 1/4" QC
	V0420006	1/4" QC INLET to 2 1/4" QC OUTLETS
	V0620006B	3/8" QC INLET to 2 3/8" QC OUTLETS





HOSE BARBS

PICTURE	PART #	DESCRIPTION
	HB12	HOSE BARB 1/2"
	HB38	HOSE BARB 3/8"
	S0660646B	HOSE BARB 3/8" to STEM 3/8"
	HM38P	HOSE BARB 3/8" to 3/8"
	Y38	HOSE BARB 3/8" to 3/8" X 3/8" Y
	EL1234	1/2" NPT male x 90° 3/4" HOSE BARB




HOSE

PICTURE	PART #	DESCRIPTION
	BHRL	BLACK HOSE 1/4" in 500' roll - heavy and durable OD 1/4"
	BHFT	BLACK HOSE 1/4" by the foot in a roll - heavy and durable OD 1/4"
	BH30	BLACK HOSE 1/4" in 30" pieces - OD 1/4"
	BH38	BLACK HOSE 3/8" by the foot in a roll - OD 3/8"
	BRHFT	BLACK RUBBER HOSE 3/8" in 12" pieces - ID 3/8"
	BRH6	BLACK RUBBER HOSE 3/8" in 6" pieces - ID 3/8"
	7093-7520050-F8A	BLACK RUBBER HOSE 3/4" by the foot in a roll 50' ALU: 112-075
	CHFT	CLEAR HOSE 3/8" in 12" pieces or by the foot in a roll 100' - OD 3/8"
	CH4	CLEAR HOSE 3/8" in 4" pieces - OD 3/8"
	GHRL	GREY HOSE 1/4" in 1000' roll - OD 1/4"
	GHFT	GREY HOSE 1/4" by the foot in a roll - OD 1/4"
	GH30	GREY HOSE 1/4" in 30" pieces - OD 1/4"






TEEJET CHECK VALVE BODY & CAPS

PICTURE	PART #	DESCRIPTION
	QJ98592-1/4	1/4" 5# TeeJet check valve body
	QJ98590-3/8	3/8" 5# TeeJet check valve body
	QJ98588-1/4	1/4" TeeJet cap
	QJ98586-3/8	3/8" TeeJet cap
	PTC-VRX1.0-1/4	1/4" variable rate orifice cap HYDRAULIC SYSTEMS ONLY
	PTC-VRX1.0-3/8	3/8" variable rate orifice cap HYDRAULIC SYSTEMS ONLY
	QJ98592-1/4 with PTC-VR-1/4	1/4" TeeJet complete (5# check valve with variable rate orifice cap) HYDRAULIC SYSTEMS ONLY
	QJ98590-3/8 with PTC-VR-3/8	3/8" TeeJet complete (5# check valve with variable rate orifice cap) HYDRAULIC SYSTEMS ONLY
	QJ98595-1/4-5	5# check valve body with 1/4 quick connect
	QJ98594-3/8-5	5# check valve body with 3/8 quick connect
	CP18999-EPR	TeeJet cap seal EPDM rubber




CHECK VALVES 3# & 5#

PICTURE	PART #	DESCRIPTION
	CVB3	CHECK VALVE BODY 3# BOTH ENDS THREADED for use with squeeze pumps
	CVB5	CHECK VALVE BODY 5# BOTH ENDS THREADED for use with piston, electric & hydraulic pumps
	CVB5QC	CHECK VALVE BODY 5# BOTH ENDS 1/4" QUICK CONNECT
	ICV	INLINE CHECK VALVE WITH ORIFICE for planters without a manifold - need to know ORIFICE COLOR


MANIFOLD

PICTURE	PART #	DESCRIPTION
	MANBANDASSM	Assembly of 15AQ2702 (black band), 15AQ2711 (white thread stem), and o-ring
	MAN #	PVC manifold by number of rows
	NN4P	11/16" M thread X 1/4" MPT
	TO3ADP	HOSE ADAPTER for nozzle body
	TO3ADP + QC4	Nozzle body adapter to 1/4" plastic line













PRESSURE GAUGE

PICTURE	PART #	DESCRIPTION
	ASG604	4" pressure gauge
	ASG60	2" pressure gauge
	3SE14	1/4" NPT male x 90° 3/4" NPTF female



DOSATRON®

PICTURE	PART #	DESCRIPTION
	110	Dosatron In-Furrow Direct Injection Kit
	210	Dosatron In-Furrow Direct Injection kit with Xanthion™ agitation kit







WILGER VISUAL FLOW INDICATORS

PICTURE	PART #	DESCRIPTION
	20460-00	Flow indicator assembly, Regular flow Includes: Body, ball retainer, o-ring seal, two lock u-clips, and balls (green, orange, red glass, SS) 
	20470-00	Flow indicator assembly, Low flow Includes: Body, ball retainer, o-ring seal, two lock u-clips, and balls (green, orange, red glass, SS) 
	20460-02	Ball retainer
	20460-03	O-ring
	20460-04	Lock u-clip
	20460-05	Flow indication ball: SS 1/2"
	20460-06	Flow indication ball: 0.31-0.72 Maroon
	20460-07	Flow indication ball: 0.09-0.30 Red
	20460-08	Flow indication ball: 0.05-0.18 Green
	20460-10	Flow indication ball: SS 7/16"
	20460-13	Flow indication ball: Orange




WILGER HOSE BARB ADAPTERS

PICTURE	PART #	DESCRIPTION
	20501-00	ORS male x 3/8" straight hose barb
	20502-00	ORS male x 1/2" straight hose barb
	20503-00	ORS male x 3/4" straight hose barb
	20511-00	ORS male x 3/8" 90° hose barb
	20512-00	ORS male x 1/2" 90° hose barb
	20513-00	ORS male x 3/4" 90° hose barb




WILGER FITTING ADAPTERS

PICTURE	PART #	DESCRIPTION
	20516-00	ORS male x 1/4" 90° quick connect
	20517-00	ORS male x 3/8" 90° quick connect
	20518-00	ORS male x 1/4" 90° NPT female
	20518-00 + QC4	ORS male x 1/4" 90° NPT female WITH 1/4" QC to 1/4" MALE NPT
	20518-00 + QC6	ORS male x 1/4" 90° NPT female WITH 3/8" QC to 1/4" MALE NPT
	20519-00	ORS male x 1/4" NPT female


WILGER ELBOWS & END CAPS

PICTURE	PART #	DESCRIPTION
	20520-00	ORS male x ORS female 90°
	20521-00	ORS female cap
	20537-00	ORS female x 1/2" NPT female


















WILGER CONNECTOR TEES

PICTURE	PART #	DESCRIPTION
	20526-00	ORS female to ORS male x ORS male HAS GAUGE PORT
	20523-00	3/8" NPT female isolator tee to ORS female x ORS male
	20524-00	3/8" NPT female tee to ORS female x ORS male
	20525-00	1" NPT female tee to ORS male x ORS male HAS GAUGE PORT

WILGER ORIFICE ASSEMBLIES

PICTURE	PART #	DESCRIPTION
	21000-01	Blank
	21025-00	0.025
	21055-00	0.055
	21113-00	0.113

TOWER

PICTURE	PART #	DESCRIPTION
	6WWBD	Small Wilger system white panel back drop
	12WWBD	Large Wilger system white panel back drop
	6CBRK	6 column top bracket
	12CBRK	12 column top bracket
	GX1CHASSIS SWIVELBKT	Wilger swivel bracket for turning Wilgers 90° 1 piece NOTE: NEED 2 PIECES TO MAKE SWIVEL
	GX1PMMPLT	Mounting bracket to mount pump to GX2 stand
	GX1FILMNBKT	Mounting bracket to mount filters to GX1 stands
	FILMNTPLT	Mounting bracket to mount filters to GX1 or GX2 stands 1 piece
	FILUBOLT	2.5"x1.5" u-bolt for mounting filter body
	GX2PMPMNTBKT	GX2 pump mounting bracket, 1 piece
	GX2CHASSISEXTL	GX2 chassis extension, Left side
	GX2CHASSISEXTR	GX2 chassis extension, Right side
	GX2CHASSISBASE	GX2 chassis base
	GXUBOLT78.5	1/2"x7"x8.5" u-bolt
	GXUBOLT814	1/2"x8"x14" u-bolt
	GXUBOLT816	1/2"x8"x16" u-bolt
	GXUBOLT818	1/2"x8"x18" u-bolt
	GX1CHASSIS	Stand for mounting one pump/filters and manifold[s]
	GX2CHASSIS	Large stand for mounting single or dual pump system